

ReGenesees

(R evolved Generalised software for sampling estimates and errors in surveys)

Scope

Design-Based and Model-Assisted Analysis of Complex Sample Surveys

Main Statistical Functions

- **Complex Sampling Designs**
 - Multistage, stratified, clustered, sampling designs
 - Sampling with equal or unequal probabilities, with or without replacement
 - “Mixed” sampling designs (i.e. with both Self-Representing and Non-Self-Representing strata)
- **Calibration**
 - Global and partitioned (for factorizable calibration models)
 - Unit-level and cluster-level weights adjustment
 - Homoscedastic and heteroscedastic models
 - Linear, raking and logit distance functions
 - Bounded and unbounded weights adjustment
 - Multi-step calibration
- **Basic Estimators**
 - Horvitz-Thompson
 - Calibration Estimators
- **Variance Estimation**
 - Multistage formulation (via Bellhouse recursive algorithm)
 - Ultimate Cluster approximation
 - Collapsed strata technique for handling lonely PSUs
 - Taylor linearization of nonlinear smooth estimators
 - Generalized Variance Functions (GVF) method
- **Estimates and Sampling Errors (standard error, variance, coefficient of variation, confidence interval, design effect) for:**
 - Totals
 - Means
 - Absolute and relative frequency distributions (marginal, conditional and joint)
 - Ratios between totals
 - Shares and ratios between shares
 - Multiple regression coefficients
 - Quantiles (variance estimation via the Woodruff method)

- **Estimates and Sampling Errors for Complex Estimators**
 - Handles arbitrary differentiable functions of Horvitz-Thompson or Calibration estimators
 - Complex Estimators can be freely defined by the user
 - Automated Taylor-linearization
 - Design covariance and correlation between Complex Estimators
- **Estimates and Sampling Errors for Subpopulations (Domains)**
 - All the analyses above can be carried out for arbitrary domains

Under development:

- Replication based Variance Estimation for non-analytic estimators, through the Delete-A-group Jackknife (DAGJK) technique: this will integrate the [EVER](#) package with the ReGenesees system.

System Architecture

ReGenesees is a full-fledged software system entirely developed in R. It has a clear-cut two-layer architecture. The application layer of the system is embedded into an R package named itself **ReGenesees**. A second R package, called **ReGenesees.GUI**, implements the presentation layer of the system. Both packages can be run under Windows, Mac, as well as under most of the Unix-like operating systems. While the **ReGenesees.GUI** package requires the **ReGenesees** package, the latter can be used also without the GUI on its top. This means that the statistical functions of the system will always be accessible by users interacting with R through the traditional command-line interface. On the contrary, less experienced R users will take advantage from the user-friendly mouse-click graphical interface.

Data Input/Output

The ReGenesees system can import data in a variety of ways. First, it can load R workspace files (with .RData or .rda extensions) storing previously saved data. Second, data can be imported from Text Files (with extensions .txt, .csv, .dat). Third, the system can import data from MS Excel spreadsheets and/or MS Access database tables. Further extensions are possible. Currently, ReGenesees can save output data into R workspace files (.RData, .rda) and/or export them into Text Files (.txt, .csv, .dat). Further extensions are possible.

Development Status

The current version of the ReGenesees system is **1.8**

Software Documentation

Both packages composing the system (**ReGenesees** and **ReGenesees.GUI**) come with their own reference manuals, which fulfill R standards for packages' documentation.

Software Distribution

The ReGenesees system is distributed as Open Source Software, under the EUPL license.

Authors

Overall Project: Diego Zardetto (zardetto@istat.it)

Application layer (i.e. **ReGenesees** package): Diego Zardetto

Presentation layer (i.e. **ReGenesees.GUI** package): Diego Zardetto, and Raffaella Cianchetta

Download

The ReGenesees system can be downloaded from:

- The European Commission Repository for Open Source Software (Joinup):
<https://joinup.ec.europa.eu/software/regenesees/description>
- Istat website
 - English:
<http://www.istat.it/en/tools/methods-and-it-tools/processing-tools/regenesees>
 - Italian:
<http://www.istat.it/it/strumenti/metodi-e-strumenti-it/strumenti-di-elaborazione/regenesees>

Sample GUI Screenshots

ReGENESEES 1.0 [pkg] - 1.0 [gui]

ReGENESEES

R EVOLVED GENERALISED SOFTWARE
FOR ESTIMATES AND ERRORS IN SURVEYS

Authors: Diego Zaretto, Raffaella Diancinetta

Istat

START

e calibrate

Population and Survey Data

Select population table: **pop.tbl**

Select a survey design object: **shades**

Variables: **id**, **public**, **emp.num**, **emp.c1**

Formula composer

Formula

calmodel = **(emp.num + ent) * emp.c1 - 1**

partition = **area**

Optional Fields

callm: **low**, **high**, **log**

aggregate.stage: **NULL**

sigma2: **emp.num**

maxit: **50**

epsilon: **1e-7**

force: **False**

Output Object Name: **shades**

OK Cancel Function Help

ReGENESEES 1.0 [pkg] - 1.0 [gui]

File Data Functions Tools Options Help

Commands Window

```
## ReGENESEES session start:
## Sat Mar 31 16:52:01 2012

shades <- e.svydesign(data= shades, id= id, strata= strata, weights= weight, fpc= fpc, seir.rep.ste= NULL, check.data= TRUE)

va.area.HT <- svyestatTT(design= shades, y= va.imp2, by= area, estimator= "Total",
vartype= "se", conf.int= FALSE, conf.level= 0.95, deff= FALSE, na.rm= FALSE)

totals <- pop.template(data= shades, calmodel= (emp.num + ent) * emp.c1 - 1, partition= area)

totals.HT <- new.certificate(design= shades, calmodel= (emp.num + ent) * emp.c1 - 1, partition= area, template= totals)

totals <- fill.template(universe= pop.frame, template= totals, mem.frame= 10)

shades <- e.calibrate(design= shades, df.population= totals, calmodel= (emp.num + ent) * emp.c1 - 1, partition= area, calvar= "linear", bounds= c(-Inf, Inf),
aggregate.stage= NULL, sigma2= emp.num, maxit= 50, epsilon= 1e-07, force= TRUE)
```

Warnings Window

ReGENESEES

shades	id	public	emp.num	emp.c1	nace2	nace2	area	center	region	va.c1	va	area	nace2	nace2	area
1	1268	0	38	(19,49)	1210	1	32	0	Center	22	5500.0	1	(19,49)	Agriculture	Agriculture.Center
2	1338	0	39	(19,49)	1240	1	32	0	Center	19	1300.0	1	(19,49)	Agriculture	Agriculture.Center
3	13819	0	25	(19,49)	1131	1	41	0	Center	16	400.0	1	(19,49)	Agriculture	Agriculture.Center
4	13749	0	25	(19,49)	1111	1	43	0	Center	1	0.0	1	(19,49)	Agriculture	Agriculture.Center
5	8431	0	29	(19,49)	1121	1	31	0	Center	2	0.5	1	(19,49)	Agriculture	Agriculture.Center
6	7572	0	59	(19,99)	1130	1	41	0	Center	11	400.0	1	(19,99)	Agriculture	Agriculture.Center
7	9701	0	67	(49,99)	1240	1	33	0	Center	23	7000.0	1	(49,99)	Agriculture	Agriculture.Center
8	8461	0	56	(49,99)	1139	1	39	0	Center	14	400.0	1	(49,99)	Agriculture	Agriculture.Center
9	11899	0	52	(49,99)	1131	1	41	0	Center	16	400.0	1	(49,99)	Agriculture	Agriculture.Center
10	15136	0	12	(9,19)	1111	1	43	0	Center	1	0.0	1	(9,19)	Agriculture	Agriculture.Center
11	10890	0	10	(9,19)	1240	1	43	0	Center	18	750.0	1	(9,19)	Agriculture	Agriculture.Center
12	2229	0	143	(99,Inf)	1240	1	33	1	Center	26	30000.0	1	(99,Inf)	Agriculture	Agriculture.Center
13	12258	0	253	(99,Inf)	1113	1	41	1	Center	23	7000.0	1	(99,Inf)	Agriculture	Agriculture.Center
14	5477	0	7	(6,9)	1111	1	43	0	Center	21	3500.0	1	(6,9)	Agriculture	Agriculture.Center
15	3894	0	7	(6,9)	1111	1	31	0	Center	18	750.0	1	(6,9)	Agriculture	Agriculture.Center
16	7640	0	20	(19,49)	1410	14	31	0	Center	16	400.0	14	(19,49)	Industry	Industry.Center
17	14165	0	22	(19,49)	1410	14	92	0	Center	16	400.0	14	(19,49)	Industry	Industry.Center
18	1186	0	21	(19,49)	1410	14	43	0	Center	19	1500.0	14	(19,49)	Industry	Industry.Center
19	1420	0	36	(19,49)	1410	14	31	0	Center	19	1500.0	14	(19,49)	Industry	Industry.Center
20	3848	0	90	(49,99)	1410	14	31	0	Center	20	2500.0	14	(49,99)	Industry	Industry.Center
21	15162	0	62	(49,99)	14300	14	31	0	Center	31	3500.0	14	(49,99)	Industry	Industry.Center
22	12380	0	51	(49,99)	1410	14	41	0	Center	24	9000.0	14	(49,99)	Industry	Industry.Center
23	5515	0	13	(6,18)	1410	14	32	0	Center	15	250.0	14	(6,18)	Industry	Industry.Center
24	7214	0	13	(9,19)	1410	14	31	0	Center	15	250.0	14	(9,19)	Industry	Industry.Center
25	9493	0	172	(99,Inf)	1410	14	42	1	Center	31	3500.0	14	(99,Inf)	Industry	Industry.Center
26	15498	0	8	(6,9)	1410	14	41	0	Center	15	250.0	14	(6,9)	Industry	Industry.Center
27	8124	0	7	(6,9)	1410	14	32	0	Center	16	400.0	14	(6,9)	Industry	Industry.Center
28	5738	0	28	(19,49)	15421	15	32	0	Center	26	30000.0	15	(19,49)	Industry	Industry.Center
29	4769	0	21	(19,49)	15811	15	41	0	Center	16	400.0	15	(19,49)	Industry	Industry.Center
30	1286	0	22	(19,49)	13900	15	31	0	Center	19	1300.0	15	(19,49)	Industry	Industry.Center

References

- **Woodruff, R. S. - (1952)**
"Confidence Intervals for Medians and Other Position Measures"
Journal of the American Statistical Association,
Vol. 47, n. 260, pp. 635-646.
- **Woodruff, R. S. - (1971)**
"A Simple Method for Approximating the Variance of a Complicated Estimate"
Journal of the American Statistical Association,
Vol. 66, n. 334, pp. 411-414.
- **Wilkinson, G.N., Rogers, C.E. - (1973)**
"Symbolic Description of Factorial Models for Analysis of Variance"
Journal of the Royal Statistical Society, series C (Applied Statistics),
Vol. 22, pp. 181-191.
- **Kalton, G. - (1979)**
"Ultimate cluster sampling"
Journal of the Royal Statistical Society, series A (General),
Vol. 142, Part 2, pp. 210-222.
- **Binder, D. A. - (1983)**
"On the variances of asymptotically normal estimators from complex surveys"
International Statistical Review,
Vol. 51, n. 3, pp. 279-292.

- **Rust, K.** - (1985)
"Variance Estimation for Complex Estimators in Sample Surveys"
 Journal of Official Statistics,
 Vol. 1, n. 4, pp. 381-397.
- **Bellhouse, DR.** - (1985)
"Computing Methods for Variance Estimation in Complex Surveys"
 Journal of Official Statistics,
 Vol.1, n. 3, pp. 323-329.
- **Rust, K., Kalton, G.** - (1987)
"Strategies for Collapsing Strata for Variance Estimation"
 Journal of Official Statistics,
 Vol. 3, n. 1, pp. 69-81.
- **Korn, E.L., Graubard, B.I.** - (1990)
"Simultaneous testing of regression coefficients with complex survey data: Use of Bonferroni t statistics"
 The American Statistician,
 Vol. 44, n. 4, pp. 270-276.
- **Särndal, C.E., Swensson, B., Wretman, J.** - (1992)
"Model Assisted Survey Sampling"
 Springer Verlag.
- **Deville, J.C., Särndal, C.E.** - (1992)
"Calibration Estimators in Survey Sampling"
 Journal of the American Statistical Association,
 Vol. 87, n. 418, pp. 376-382.
- **Chambers, J.M., Hastie, T.J.** - (1992)
"Statistical Models in S"
 Wadsworth & Brooks/Cole.
- **Deville, J.C., Särndal, C.E., Sautory, O.** - (1993)
"Generalized Raking Procedures in Survey Sampling"
 Journal of the American Statistical Association,
 Vol. 88, n. 423, pp.1013-1020.
- **Sautory, O.** - (1993)
"La macro CALMAR: Redressement d'un Echantillon par Calage sur Marges"
 Document de travail de la Direction des Statistiques Demographiques et Sociales,
 n. F9310.
- **Dorfman, A., Valliant, R.** - (1993)
"Quantile variance estimators in complex surveys"
 Proceedings of the ASA Survey Research Methods Section,
 pp. 866-871.
- **Kish, L.** - (1995)
"Methods for design effects"
 Journal of Official Statistics,
 Vol. 11, n. 1, pp. 55-77.
- **Estevao, V., Hidirolou, M. A., Särndal, C. E** - (1995)
"Methodological principles for a generalized estimation system at Statistics Canada"
 Journal of Official Statistics,
 11, n. 2, pp. 181-204.
- **Singh, A.C., Mohl, C.A.** - (1996)
"Understanding calibration estimators in survey sampling"
 Survey Methodology,
 22, pp. 107-115.

- **Rao, J. N. K., Lohr, S. L.** - (1999)
"Some Current Trends in Sample Survey Theory and Methods"
 Sankhya: The Indian Journal of Statistics, Special issue on Sample Surveys,
 Vol. 61, Series B, Pt. 1, pp. 1-57.
- **Valliant, R.** - (2000)
"Variance estimation for the general regression estimator"
 Survey Methodology,
 28, pp. 103-114.
- **Vanderhoeft, C.** - (2001)
"Generalized Calibration at Statistic Belgium"
 Statistics Belgium Working Paper n. 3
http://statbel.fgov.be/nl/binaries/paper03%5B1%5D_tcm325-35412.pdf
- **Fuller, W.A.** - (2002)
"Regression estimation for survey samples"
 Survey Methodology,
 28, pp. 5-23.
- **Rao, J. N. K., Lohr, S. L.** - (2004)
"Sample Survey Methods: Recent Developments and Applications"
 two-day workshop slides, Joint Statistical Meetings, Toronto.
- **Lumley, T.** - (2006)
"survey: analysis of complex survey samples"
 R package version 3.6-5.
<http://cran.at.r-project.org/web/packages/survey/index.html>
- **Wolter, K. M.** - (2007)
"Introduction to Variance Estimation"
 Second Edition, Springer-Verlag, New York.
- **Scannapieco, M., Zardetto, D., Barcaroli, G.** - (2007)
"La Calibrazione dei Dati con R: una Sperimentazione sull'Indagine Forze di Lavoro ed un Confronto con GENESEES/SAS"
 Contributi Istat n. 4.
http://www3.istat.it/dati/pubbsci/contributi/Contributi/contr_2007/2007_4.pdf
- **Lumley, T.** - (2012)
"Complex Surveys: A Guide to Analysis Using R"
 John Wiley & Sons, New York.
- **Barcaroli, G., Zardetto, D.** - (2012)
"Use of R in Business Surveys at the Italian National Institute of Statistics: Experiences and Perspectives"
 Proceedings of the 4th International Conference of Establishment Surveys (ICES IV),
 American Statistical Association.
<http://www.amstat.org/meetings/ices/2012/papers/302193.pdf>
- **Zardetto, D.** - (2013)
"ReGenesees: an Advanced R System for Calibration, Estimation and Sampling Errors Assessment in Complex Sample Surveys"
 Proceedings of the 7th International Conference on New Techniques and Technologies for Statistics (NTTS 2013), Eurostat.
http://www.cros-portal.eu/sites/default/files//NTTS2013fullPaper_131-v2.pdf

- **Fallows A., Pope M., Digby-North J., Brown G., Lewis D. - (2015)**
"A Comparative Study of Complex Survey Estimation Software in ONS"
Romanian Statistical Review,
n. 3, pp. 46-64.
<http://www.revistadestatistica.ro/index.php/comparative-study-of-complex-survey-estimation-software-in-ons/>
- **Zardetto, D. - (2015)**
"ReGenesees: an Advanced R System for Calibration, Estimation and Sampling Error Assessment in Complex Sample Surveys"
Journal of Official Statistics,
Vol. 31, n. 2, pp. 177-203.
<http://www.istat.it/it/files/2014/05/Zardetto-jos-2015-0013.pdf>